

WEAR-RESISTANT TREAD COMPOUND

- Extends tread life and durability.

OPEN COUNTRY H/T II

LT / SUV / CUV / COM VAN

LT

ADAPTIVE CIRCUMFERENTIAL GROOVES

- Help maintain wet traction performance throughout the life of the tire.

EXPANDING SHOULDER GROOVES

- Help maintain wet traction performance throughout the life of the tire.

MULTI-WAVE SIPES

- Minimize irregular wear for a smooth, quiet ride.
- Improve braking on wet and dry roads.
- Improve light snow traction.

FOUR WIDE CIRCUMFERENTIAL GROOVES

- Evacuate water to improve wet traction.

DUAL SIDEWALL DESIGNS

- Offer two distinct looks for customizing—one sporty and one classic.



For the latest tire information,
please visit toyotires.com.

TOYO TIRES[®]

OPEN COUNTRY® H/T II

LT

LT / SUV / CUV / COM VAN

WHEEL DIA.	TIRE SIZE	LOAD/SPEED	LOAD ID	SIDEWALL	PRODUCT CODE	APPROVED RIM WIDTH RANGE (IN.)	WEIGHT (LBS)	TREAD DEPTH (1/32")	OVERALL DIA. (IN.)*	OVERALL WIDTH (IN.)*	MAX LOAD (LBS) SINGLE	MAX LOAD (LBS) DUAL	MAX PRESSURE (PSI)	REVS PER MILE
15	235/75R15	109T	XL	OWL	364720	6.0-(6.5)-8.0	33	11.8	28.9	9.3	2271	-	50	720
	215/70R16	100H	SL	BSW	364500	5.5-(6.5)-7.0	27	11.5	27.9	8.7	1764	-	51	745
	LT215/85R16	115/112S	E	BSW	364290	5.5-(6.0)-7.0	38	14.2	30.4	8.5	2680	2470	80	683
	LT225/75R16	115/112S	E	BSW	364250	(6.0) -7.0	38	14.1	29.3	8.8	2680	2470	80	709
	235/70R16	109T	XL	OWL	364530	6.0-(7.0)-8.0	31	11.7	29.0	9.4	2271	-	50	717
	LT235/85R16	120/116S	E	OWL	364280	6.0-(6.5)-7.5	44	14.5	31.7	9.3	3042	2780	80	655
	245/70R16	107T	SL	OWL	364690	6.5-(7.0)-8.0	33	11.8	29.5	9.8	2149	-	44	704
	LT245/75R16	120/116S	E	OWL	364240	6.5-(7.0)-8.0	42	14.4	30.5	9.8	3042	2778	80	682
	245/75R16	111T	SL	OWL	364700	6.5-(7.0)-8.0	33	12.0	30.5	9.8	2403	-	44	682
	255/70R16	111T	SL	OWL	364640	6.5-(7.5)-8.5	36	12.0	30.1	10.2	2403	-	44	691
	265/70R16	112T	SL	BSW	364520	7.0-(8.0)-9.0	38	12.1	30.6	10.7	2469	-	44	678
	265/70R16	112T	SL	OWL	364510	7.0-(8.0)-9.0	38	12.1	30.6	10.7	2469	-	44	678
	LT265/75R16	123/120S	E	OWL	364310	7.0-(7.5)-8.0	49	13.5	31.7	10.5	3415	3085	80	656
	265/75R16	116T	SL	OWL	364730	7.0-(7.5)-9.0	40	12.2	31.7	10.5	2756	-	44	656
LT285/75R16	126/123S	E	OWL	364410	7.5-(8.0)-9.0	56	15.7	32.8	11.3	3750	3415	80	633	
16	225/65R17	102H	SL	BSW	364450	6.0-(6.5)-8.0	31	11.5	28.5	9.0	1874	-	51	729
	235/65R17	104T	SL	BSW	364460	6.5-(7.0)-8.5	33	11.6	29.1	9.4	1984	-	44	715
	235/70R17	109T	XL	OWL	364710	6.0-(7.0)-8.0	34	11.7	30.0	9.4	2271	-	50	692
	235/75R17	109T	SL	OWL	364660	6.0-(6.5)-8.0	35	11.8	30.9	9.3	2271	-	44	673
	LT235/80R17	120/117S	E	BSW	364300	6.0-(6.5)-7.5	45	14.4	31.8	9.3	3085	2835	80	653
	245/65R17	107H	SL	BSW	364490	7.0-(7.0)-8.5	34	11.7	29.5	9.8	2149	-	51	704
	LT245/70R17	119/116S	E	OWL	364340	6.5-(7.0)-8.0	43	14.2	30.6	9.8	3000	2755	80	680
	245/70R17	110T	SL	OWL	364540	6.5-(7.0)-8.0	36	11.8	30.6	9.8	2337	-	44	680
	LT245/75R17	121/118S	E	BSW	364220	6.5-(7.0)-7.5	45	14.4	31.5	9.8	3195	2910	80	660
	LT245/75R17	121/118S	E	OWL	364230	6.5-(7.0)-7.5	45	14.4	31.5	9.8	3195	2910	80	660
	255/65R17	110T	SL	OWL	364630	7.0-(7.5)-9.0	36	11.8	30.1	10.2	2337	-	44	691
	255/70R17	112T	SL	OWL	364600	6.5-(7.5)-8.5	36	12.0	31.1	10.2	2469	-	44	668
	265/65R17	112T	SL	OWL	364550	7.5-(8.0)-9.5	38	12.0	30.6	10.7	2469	-	44	680
	LT265/70R17	121/118S	E	BSW	364270	7.0-(8.0)-8.5	49	14.5	31.7	10.7	3195	2910	80	656
	LT265/70R17	121/118S	E	OWL	364260	7.0-(8.0)-8.5	47	14.5	31.7	10.7	3195	2910	80	656
	265/70R17	115T	SL	BSW	364430	7.0-(8.0)-9.0	41	12.1	31.7	10.7	2679	-	44	656
	265/70R17	115T	SL	OWL	364440	7.0-(8.0)-9.0	40	12.1	31.7	10.7	2679	-	44	656
LT285/70R17	121/118S	E	OWL	364360	7.5-(8.5)-9.0	53	15.7	32.8	11.5	3195	2910	80	634	
17	235/60R18	107V	XL	BSW	369300	6.5-(7.0)-8.5	33	10.8	29.1	9.4	2149	-	50	714
	235/65R18	110V	XL	BSW	369320	6.5-(7.0)-8.5	34	11	30	9.4	2337	-	50	692
	245/60R18	109V	XL	BSW	369310	(7.0) -8.5	35	11	29.6	9.8	2271	-	50	703
	LT255/65R18	120/117R	E	BSW	364420	7.0-(7.5)-9.0	48	14.2	31.1	10.2	3085	2835	80	669
	255/65R18	111T	SL	BSW	364570	7.0-(7.5)-9.0	38	11.8	31.1	10.2	2403	-	44	669
	255/70R18	113S	SL	BSW	364740	6.5-(7.5)-8.5	41	12.0	32.1	10.2	2535	-	44	647
	265/60R18	110T	SL	BSW	364560	7.5-(8.0)-9.5	39	11.8	30.5	10.7	2337	-	44	681
	265/65R18	114T	SL	BSW	364610	7.5-(8.0)-9.5	39	12.0	31.5	10.7	2601	-	44	659
	265/70R18	116T	SL	BSW	364620	7.0-(8.0)-9.0	43	12.1	32.6	10.7	2756	-	44	636
	LT275/65R18	123/120S	E	BSW	364320	7.5-(8.0)-9.0	52	14.5	32.1	11.0	3415	3085	80	647
	275/65R18	116T	SL	BSW	364470	7.5-(8.0)-9.5	43	12.1	32.1	11.0	2756	-	44	647
	LT275/70R18	125/122S	E	BSW	364330	7.0-(8.0)-8.5	53	14.6	33.2	11.0	3640	3305	80	626
	285/60R18	120V	XL	BSW	364750	8.0-(8.5)-10.0	43	11.5	31.5	11.5	3086	-	50	660
18														

Speed Rated "S" = 112mph, "T" = 118mph, "H" = 130mph, "V" = 149mph. "SL" = Standard Load, "RD" = Reinforced, "C" = 6-ply rating, "D" = 8-ply rating, "E" = 10-ply rating, "BSW" = Black Sidewall, "OWL" = Outline White Lettering. Bold designates measuring rim width. *Inflated dimensions.

SPECIFICATIONS

	WHEEL DIA.	TIRE SIZE	LOAD/SPEED	LOAD ID	SIDEWALL	PRODUCT CODE	APPROVED RIM WIDTH RANGE (IN.)	WEIGHT (LBS)	TREAD DEPTH (1/32")	OVERALL DIA. (IN.)*	OVERALL WIDTH (IN.)*	MAX LOAD (LBS) SINGLE	MAX LOAD (LBS) DUAL	MAX PRESSURE (PSI)	REVS PER MILE
20	255/50R20	109H	XL	BSW	364670	7.0-(8.0)-9.0	38	10.8	30.1	10.4	2271	-	50	691	
	255/55R20	110H	XL	BSW	364650	7.0-(8.0)-9.0	42	11.0	31.0	10.4	2337	-	50	670	
	265/50R20	107T	SL	BSW	364580	7.5-(8.5)-9.5	39	11.6	30.5	10.9	2149	-	44	682	
	LT265/60R20	121/118S	E	BSW	364370	7.5-(8.0)-9.5	53	14.2	32.5	10.7	3195	2910	80	639	
	275/55R20	117H	XL	BSW	364480	7.5-(8.5)-9.5	43	11.2	31.9	11.2	2833	-	50	651	
	LT275/60R20	123/120R	E	BSW	364350	7.5-(8.0)-9.5	55	14.4	33.0	11.0	3415	3085	80	630	
	275/60R20	115T	SL	BSW	364680	7.5-(8.0)-9.5	44	12.0	33.0	11.0	2679	-	44	630	
	LT275/65R20	126/123S	E	BSW	364390	7.5-(8.0)-9.5	57	14.5	34.1	11.0	3750	3415	80	609	
	285/50R20	112V	SL	BSW	364760	8.0-(9.0)-10.0	45	11.2	31.3	11.7	2469	-	51	665	
	LT285/60R20	125/122R	E	BSW	364380	8.0-(8.5)-10.0	59	15.7	33.5	11.5	3640	3305	80	621	
	LT285/65R20	127/124R	E	BSW	364400	8.0-(8.5)-10.0	60	15.7	34.6	11.5	3860	3525	80	601	
21	275/50R21	113V	XL	BSW	364780	7.5-(8.5)-9.5	40	11.1	31.9	11.2	2535	-	50	652	
22	275/50R22	111H	SL	BSW	364770	7.5-(8.5)-9.5	45	11.1	32.9	11.2	2403	-	51	632	
	285/45R22	114H	XL	BSW	364590	9.0-(9.5)-10.5	42	11.1	32.1	11.2	2601	-	50	647	



LT / SUV / CUV / COM VAN

LT

For the latest tire information, please visit toyotires.com.

TOYO TIRES®